12. The deposit of Rs. 200 will remain as security for the due fulfilment of all and every one of the terms of sale, for the breach of any of which by the purchaser, the District Forest Officer shall be entitled to forfeit the deposit in whole or in part and in the event of such forfeiture, the sum so forfeited shall be immediately made good by the purchaser so long as the transaction is not finally closed. The security deposit or the balance thereof, if any, shall be returned to the purchaser after the full value of timber purchased has been paid for and the timber fully removed.

M. G. VENKATA RAO,
District Forest Officer.

KADUR FOREST DIVISION.

Abstract Notification, dated 25th December 1935.

The attention of the public is invited to the detailed Notification regarding the sale of timber in Chikmagalur Depot, to be held on 16th January 1936, published on pages 7-8, Part VI of the *Mysore Gazette*, dated 2nd January 1936.

A. V. KESAVIENGAR,
District Forest Officer.

ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notification, dated 19th December 1935.

The attention of the public is invited to the Notification, dated 16th December 1935, calling for tender for the work of constructing main drain at Chamarajanagar Town, published on pages 8-9, Part VI of the *Mysore Gazette*, dated 2nd January 1936.

The last date for receipt of tender is 20th January 1936.

Notification, dated 20th December 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M., on 20th January 1936, for the work for removing, cleaning, laying and lead or flange jointing 5″ and 3″ rising mains for Water Supply to Chintamani Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1936.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 150 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for removing, cleaning, laying and lead or flange jointing 5″ and 3″ rising mains for Water Supply to Chintamani Town" in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Director of Health in Mysore who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office, in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Abstract estimate of quantities to be done for removing, cleaning, laying and lead or flange jointing 5″ and 3″ rising mains for water supply to Chintamani Town.

No.	Items of work	Unit	Quantity
1	Earthwork excavation, refilling and forming pipe trench for removing and relaying 5″ pipes	C.yd.	2,200
2	Blasting hard rock	,,	75
3	Removing, cleaning, conveying and stacking 5″ Cast Iron pipes ..	Cwts.	734
4	Conveying and laying and lead or flange jointing 5″ Cast Iron pipes and specials	Each	400
5	Earthwork, conveying and laying and jointing 3″ or 2½″ Galvanised Iron pipes including cuts and threads and laying of specials, etc., complete	R.ft.	500
6	Constructing Valve Cisterns as per type design	Each	3

Notification, dated 20th December 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M., on 20th January 1936, for the work of constructing a Settling Tank for the improvements of Water Works at Nanjangud. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1936.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash (no cheques will be accepted) as earnest money, and be superscribed " Tender for the work of constructing a Settling Tank for improvements of Water Works at Nanjangud " in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Director of Health in Mysore who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office, in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Abstract estimate of quantities of work to be done for the work of constructing a Settling Tank for improvements of Water Works at Nanjangud Town.

No.	Particulars	Unit	Quantity
	Constructing a Settling Tank.		
1	(*a*) Earthwork excavation in hard gravelly soil	C.yd.	231
	(*b*) Do in soft rock	,,	231
	(*c*) Do in hard rock	,,	115
2	Concrete in surki mortar	C.ft.	1,604
3	Burnt brick in surki mortar	,,	4,671
4	6″ thick burnt stone slabs dressed and fixed	S.ft.	57
5	Cutting brackets in the stone slabs	Each	2
6	Forming central drain in the bed	R.ft.	23
7	Plastering with cement mortar	Sqr.	36.60
8	Do with chunam mortar	,,	12.33
9	Providing Cuddapah slabs baffles in mixing chamber	,,	1.41

No.	Particulars	Unit	Quantity
	Laying Pipe Connection to Settling Tanks.		
1	(*a*) Earthwork excavating the trench for pipes and refilling the same with consolidation in gravelly soil	C.yd.	61
	(*b*) Do in soft rock	,,	61
	(*c*) Do in hard rock	,,	30
2	Laying and jointing C. I. pipes and specials, etc., complete, with lead or flange joints 6″ C. I. pipes	No.	20
3	Constructing Valve Cisterns as per type design	,,	3
4	Fixing Valve Cistern frame with shutters, complete	,,	3

Notification, dated 2nd January 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M., on 27th January 1936 for labour portion of the work for laying pipe lines for Water Supply to Mandya Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1936.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M., and 5 P.M., on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 250 in cash (no cheques will be accepted) as earnest money, and be superscribed " Tender for labour portion of the work for laying pipe lines for Water Supply to Mandya Town " in default of which the tenders will be rejected.

5. The final acceptance of any tender will rest with the Sanitary Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the Contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Abstract of quantities of work to be done for the labour portion of the work for laying Pipe Lines for Water Supply to Mandya Town.

Sl. No.	Particulars	Unit	Quantity
	5″ C. I. Rising Main.		
1	Earthwork excavating the pipe trench, refilling the same with consolidation after laying the pipes and stacking the surplus earth in neat heaps by the side of the pipe line without hindrance to the traffic ..	C.yd.	1,087
2	Conveying from stores, cleaning, laying and jointing of C. I. pipes including cuts and fixing of specials, etc., together with the necessary caulking pits		
	5″ Lead joints	No.	285
	3″ do	,,	6
	5″ Flange joints	,,	4
	3″ do	,,	2

Sl. No.	Particulars	Unit	Quantity
3	Conveying, cleaning, oiling and fixing of C. I. valves—		
	5″ Sluice valves	No.	2
	3″ do	,,	1
	Air valve	,,	1
4	Main bore ¾″ including exposing the line, etc., comlpete	,,	1
5	Constructing masonry valve cisterns 2½′ × 2½′ inner dimensions as per type design but with reinforced cement concrete slab for the covering including fixing the C. I. road box with bolts, nuts and cement concrete fillets together with the formation of the surplus earth ..	,,	4
6	Supplying, conveying and fixing of furlong stones as per standard design including painting, etc., ...	,,	6
	Distribution System.		
1	Earth work excavation of the C. I. pipe trench including refilling, forming, tamping and stacking of the surplus earth in neat heaps along the pipe line without obstruction to the traffic in greavelly soil ..	C.yd.	1,516
2	Conveying C. I. pipes and specials from stores to the work spot, cleaning, laying and jointing including fixing of specials, cuts and collar joints, etc., complete—		
	4″ Lead joints	No.	48
	3″ do	,,	100
	2″ do	,,	4
	1½″ do	,,	6
3	Do do with cement joints including watering—		
	for 4″ pipes	,,	256
	3″ do	,,	336
4	Laying and jointing of G. I. pipes including cleaning, cutting, threading and fixing of all fittings, etc., with excavation of trench refilling, forming, tamping and restoring of the road surfaces cut up to the original condition—		
	2″ G. I. pipe	R.ft.	2,590
	1½″ do	,,	7,915
	1″ do	,,	3,041
	¾″ do	,,	3,774
5	Flange joints with bolts, nuts and rubber insertion—		
	4″ joints	No.	2
	3″ do	,,	2
6	Conveying, cleaning, overhauling and fixing of C. I. valves ..	,,	1
	4″ Valves	,,	1
	3″ do	,,	1
	Air valves	,,	2
7	Construction of public fountain platforms 4′×4′ interior as per type design either on the road side or over the drains	,,	50
8	Construction of masonry gland cock cisterns as per type design including fixing of C. I. road boxes with bolts and nuts after drilling holes, etc.	,,	60
9	Construction of masonry valve cisterns 2½′ × 2½′ interior with a reinforced cement concrete slab covering including fixing the road box and forming cement fillets etc., ...	,,	4
10	Numbering the public fountains with 2 coats of white lead for the background and figures, with Japan (black)	,,	50

B. R. GARUDACHAR,
Sanitary Engineer.

BUILDINGS DIVISION, BANGALORE.

Abstract Notification, dated 24th December 1935.

The attention of the public is invited to the Notification calling for tenders for "Constructing Telephone Exchange Buildings at Bangalore" modified on pages 9-13 of Part VI of the *Mysore Gazette*, dated 2nd January 1936.

2. The last date of receiving tenders is postponed to 11th January 1936.

3. This supersedes the original Notification published in pages 2239 to 2243 of Part VI of the *Mysore Gazette*.